

MicroGiGaCN (CX4) Passive Copper Cables

Mellanox's MicroGiGaCN (CX4) passive copper cables provide robust connections and require no power from the connector. The 20Gb/s passive copper cables are compliant with the InfiniBand Architecture, SFF-8470 specifications and provide connectivity between devices using CX4 ports. Mellanox's high-quality passive copper cable solutions provide a power-efficient replacement for active power connectivity such as fiber optic cables.

Optimizing systems to operate with Mellanox's MicroGiGaCN (CX4) passive copper cables significantly reduces power consumption and EMI emission, eliminating the use of EDC hosts.



Table 1 - Cable Specifications and Ordering Information

Maximum Reach [m]	Gauge	Max Cable Diameter [mm]	Min Bend Radius [mm]	Assembly Min Bend Radius [mm] ¹	Weight [Grams/meter] ²	Part Number
0.5	30	6.2	30	61	55	MCC4L30-00A
1	30	6.2	30	61	55	MCC4L30-001
2	30	6.2	30	61	55	MCC4L30-002
3	28	7.8	40	71	79	MCC4L30-003
4	26	9.8	50	82	96	MCC4L28-004
5	26	9.8	50	82	96	MCC4L28-005
6	24	9.8	50	95	108	MCC4L24-006
7	24	9.8	50	95	108	MCC4L24-007
8	24	9.8	50	95	108	MCC4L24-008

1. See figure 1 for bend radius description

2. Weight is per raw cable meter, excluding connectors

Table 2 - Absolute Maximum Ratings

Parameter	Parameter Range
Operating Case Temperature	0°C to 70°C
Storage Ambient Temperature	-10°C to 75°C


Table 3 - Operating Conditions

Parameter	Minimum	Typical	Maximum	Units
Data Rate per Lane	1		5	Gb/s
Input Voltage	-0.3		3.6	V
Humidity (RH)	5		85	%

HIGHLIGHTS

- Compliant with SFF-8470
- Up to 8m 20Gb/s data rates
- Ultra low crosstalk for improved performance
- Low insertion loss
- Serial numbers printed on each end
- Tested in an end-to-end system
- RoHS 6 Compliant

Figure 1. Mechanical Drawings and Information




Warranty Information

The Mellanox Passive Copper 20G MicroGiGaCN (CX4) cables include a 1-year limited hardware warranty, which covers repair or replacement.

Additional Information

For more information about Mellanox cable solutions, please contact your Mellanox Technologies sales representative or visit: <http://www.mellanox.com=>Products=>Cables=>Cables Overview>

Figure 2. Mechanical Drawings and Information



350 Oakmead Parkway, Suite 100, Sunnyvale, CA 94085
Tel: 408-970-3400 • Fax: 408-970-3403
www.mellanox.com